




# MONTHLY ENERGY BULLETIN

November 2023 - 1st Edition



01

02


03

11

19

21

## The Month at a glance




Total Demand  
**3.737 GWh**

↑ 1,35%

Variation in comparison  
to the same month of  
the previous year

### Estimation of total demand (GWh)




Total Generation  
**3.449 GWh**

↑ 3,58%

Variation in comparison  
to the same month of  
the previous year

### Estimation of total generation (GWh)



38,9% 1.342



8,4% 289



52,7% 1.818

### Maximum total demand

↑ 27/11/2023 20:00  
**7.215 MW**

### Minimum total demand

↓ 10/11/2023 5:00  
**3.767 MW**



Interconnection Balance  
**288 GWh**

↓ 70 GWh

Variation in comparison  
to the same month of  
the previous year

### Imports

 **461 GWh**  
↓ 27,05%



### Exports

 **173 GWh**  
↓ 36,94%


<sup>1</sup> The percentage which refers to losses in this graph is not associated to the Percentage of System Losses presented in page 5 of the present Bulletin.

# Energy Balance in the Interconnected System and Network

Ιανουάριος 2023

Νοέμβριος 2023


## ESTIMATION OF TOTAL DEMAND<sup>1</sup> & INTERCONNECTION BALANCE<sup>3</sup>



Energy Balance  
November 2023



# 3.737 GWh

- SYSTEM TO NETWORK BOUNDARY SUBSTATIONS
- NETWORK DEMAND
- HIGH VOLTAGE CONSUMERS
- MINES
- SELF-PRODUCTION
- PUMPING
- SYSTEM LOSSES<sup>4</sup>
- INTERCONNECTION BALANCE
- CRETE INTERCONNECTION



Energy Balance  
January 2023 - November 2023

## ESTIMATION OF TOTAL GENERATION<sup>2</sup> & INTERCONNECTION BALANCE<sup>3</sup>



### Notes



- 1 The demand of non-interconnected islands is not included.
- 2 Network generation results from validated meter data for the Medium Voltage and from validated meter data and estimations for the Low Voltage.
- 3 The surplus in the interconnection balance is displayed in the estimation of demand, whereas a deficit in the estimation of generation.
- 4 The percentage which refers to losses in this graph is not associated to the Percentage of System Losses presented in page 5 of the present Bulletin.

## Total Demand & System Demand

### ESTIMATION OF TOTAL DEMAND & SYSTEM DEMAND (GWh)



Annex 1.1

Total Demand <sup>2</sup>

**3.694** GWh

↑ 0,75%

Variation in comparison to the same month of the previous year

System Demand <sup>1</sup>

**3.093** GWh

↓ 1,68%

Variation in comparison to the same month of the previous year

### VARIATION OF TOTAL DEMAND (GWh)

November 2022 - November 2023

#### Notes


1. System Demand is defined as the generation produced by production units (conventional and RES) connected to the System, that is required to cover the System Load (excluding pumping). Demand supplied by units injecting into the Network is not included. More specifically, the estimation of System Demand includes the demand of High Voltage consumers, mines, the self-production, the demand in System-Network boundary substations, the System losses and the flow to Crete interconnection.

2. Total Demand is defined as the generation on the mainland and the interconnected islands required to supply the Load (excluding pumping). More specifically, the estimation of Total Demand includes the estimation of System Demand and the estimation of demand covered by production units connected to the Network. Network generation results from certified measurements for the Medium Voltage and measurements and estimations for the Low Voltage.

# Demand per Consumption Category

## EVOLUTION OF DEMAND (GWh) Annex 1.1

per consumption category



### SELF-PRODUCTION

2022 2023

### HIGH VOLTAGE CONSUMERS / MINES

2022 2023

### SYSTEM LOSSES

2022 2023



### NETWORK

2022 2023

### CRETE INTERCONNECTION

2022 2023

## ESTIMATION OF DEMAND PER CONSUMPTION CATEGORY (GWh) November 2023




### Notes

- Network Demand includes the estimation of demand in the System-Network boundary substations and the estimation of demand supplied by production units in the Network. Network generation results from certified measurements for the Medium Voltage and measurements and estimations for the Low Voltage.
- Demand does not include pumping.
- The percentage which refers to losses in this graph is not associated to the Percentage of System Losses presented in page 5 of the present Bulletin.


## Analysis of System Losses

### EVOLUTION OF SYSTEM LOSSES (GWh) and PERCENTAGE OF SYSTEM LOSSES (%)

in relation to the Total Injected Energy into the System (%)



### EVOLUTION OF TOTAL INJECTED ENERGY INTO THE SYSTEM (GWh)



### PERCENTAGE OF SYSTEM LOSSES (%)

November 2023

**2,28%**


in relation to the  
Total Injected Energy  
into the System

#### Notes

- 1 The Percentage of System Losses is calculated as the quotient of System Losses to the Total Injected Energy into the System.
- 2 The Total Injected Energy into the System includes the energy generated by conventional and RES units connected to the System, the injections from the interconnections into the System and the energy injected into the System from the System to Network boundary substations.


## Evolution of Demand in comparison to the previous year

### EVOLUTION OF DEMAND in comparison to the same month of the previous year



### EVOLUTION OF DEMAND

current year in comparison to the same period of the previous year



- NETWORK
- HIGH VOLTAGE CONSUMERS
- TOTAL DEMAND
- SYSTEM DEMAND

### Notes


- 1 Network Demand includes the estimation of demand in the System-Network boundary substations and the estimation of demand supplied by production units in the Network. Network generation results from certified measurements for the Medium Voltage and measurements and estimations for the Low Voltage.
- 2 Demand does not include pumping.

## MAXIMUM & MINIMUM HOURLY TOTAL DEMAND (MW)

current year



Annex 1.2



Maximum Total Demand

26/07/2023

15:00

**↑ 10.385 MW**

Minimum Total Demand

17/04/2023

5:00

**↓ 3.370 MW**


- Fluctuation of Total Demand
- Maximum Total Demand
- Minimum Total Demand

## MAXIMUM & MINIMUM HOURLY SYSTEM DEMAND (MW)

current year



Annex 1.3



Maximum System Demand

21/07/2023

21:00

**↑ 8.960 MW**

Minimum System Demand

26/03/2023



15:00

**↓ 1.080 MW**

- Fluctuation of System Demand
- Maximum System Demand
- Minimum System Demand

## MAXIMUM HOURLY TOTAL DEMAND & SYSTEM DEMAND (MW)

Annex 1.2 - 1.3




### Notes

- In maximum & minimum demand analysis, Total Demand and System Demand include pumping.
- Analysis is based on hourly data.

**AVERAGE HOURLY TOTAL DEMAND & SYSTEM DEMAND (MW)**

During working days of month November current &amp; previous year

**HOURLY TOTAL DEMAND & SYSTEM DEMAND (MW)**

During the day of maximum and minimum of month November 2023


**MAXIMUM TOTAL DEMAND** 27/11/2023 20:00 **7.215 MW****MINIMUM TOTAL DEMAND** 10/11/2023 5:00 **3.767 MW****MAXIMUM SYSTEM DEMAND** 27/11/2023 20:00 **7.002 MW****MINIMUM SYSTEM DEMAND** 05/11/2023 12:00 **1.870 MW****Notes**

- For each hour, the demand is calculated as the average of the demand of the relevant hour for each working day or the month.
- Total Demand and System Demand include pumping.

## Market Share of Load Representatives - Demand per voltage level

### MARKET SHARE OF LOAD REPRESENTATIVES (%)


(load representatives with market shares >1% during the current month)



Annex 1.7


### EVOLUTION OF MARKET SHARE OF LOAD REPRESENTATIVES (%)

(6 load representatives with higher market shares during the current year)



Annex 1.6

### DEMAND PER VOLTAGE LEVEL (GWh/%)




#### Notes


- Data used for the calculation of the shares of the representatives include:
  - Self-supplied consumers and producers representing the auxiliary loads of their production units.
  - Consumption of Low Voltage consumers is based on a preliminary estimation of the Network Operator.
- Values in GWh are referenced to the System-Network boundaries.
- The utilisation of the interconnection of Crete to the HETS is not included.

## Market Share of Load Representatives per voltage level


MARKET SHARE OF LOAD REPRESENTATIVES IN HV (%)  Annex 1.7



MARKET SHARE OF LOAD REPRESENTATIVES IN LV (%)  Annex 1.7



MARKET SHARE OF LOAD REPRESENTATIVES IN MV (%)  Annex 1.7



### Notes

- Data used for the calculation of the shares of the representatives include:
  - Self-supplied consumers and producers representing the auxiliary loads of their production units.
  - Consumption of Low Voltage consumers is based on a preliminary estimation of the Network Operator.
- Values in GWh are referenced to the System-Network boundaries.
- The utilisation of the interconnection of Crete to the HETS is not included.


## Analysis of Net Generation

### ESTIMATION OF NET GENERATION (GWh)

Annex 2.1

2022 CONVENTIONAL  
2023 GENERATION

2022 RES  
2023 GENERATION



### Total Net Generation

**3.449** GWh

↑ 3,58%

Variation in comparison to the same month of the previous year



Thermal Generation



Hydro Generation




RES Generation

38,91%

8,37%

52,72%

### VARIATION OF NET GENERATION (GWh) November 2022 - November 2023



### Notes

Analysis of generation refers to the net generation.

Total Generation includes the generation of conventional production units and RES units and refers to the injection point in the System.


Conventional Generation includes the generation of large scale hydro units, as well as the generation of dispatchable co-generation units that has not been characterised as high efficiency Co-Generation.

RES Generation includes

- generation in the point of injection to the System from RES generation connected directly to System substations (System RES)
- generation from dispatchable co-generation units that has been characterised as high efficiency Co-Generation (System RES)
- estimation of generation in the Distribution Network (Network RES), which results from certified measurements for the Medium Voltage and measurements and estimations for the Low Voltage.


## Variation of Generation in comparison to the previous year

### VARIATION OF GENERATION in comparison to the same month of the previous year



### VARIATION OF GENERATION

of current year in comparison to the same period of the previous year



### Notes

Variation of generation refers to the net generation.

Total Generation includes the generation of conventional production units and RES units and refers to the injection point in the System.

Conventional Generation includes the generation of large scale hydro units, as well as the generation of dispatchable co-generation units that has not been characterised as high efficiency Co-Generation.

RES Generation includes


- generation in the point of injection to the System from RES generation connected directly to System substations (System RES)
- generation from dispatchable co-generation units that has been characterised as high efficiency Co-Generation (System RES)
- estimation of generation in the Distribution Network (Network RES), which results from certified measurements for the Medium Voltage and measurements and estimations for the Low Voltage.

## Conventional Generation Mix

### EVOLUTION OF CONVENTIONAL GENERATION MIX (GWh)



Annex 2.2



## OTHER FUEL

2022 2023

## LIGNITE

2022 2023

## HYDRO


2022 2023

## NATURAL GAS

2022 2023

### CONVENTIONAL GENERATION MIX PER FUEL CATEGORY (GWh)

November 2023



## Notes


- Generation refers to the injection point in the System.
- Conventional Generation includes the generation of large scale hydro units, as well as the generation of dispatchable co-generation units that has not been characterised as high efficiency Co-Generation.

# System RES Generation Mix

## EVOLUTION OF SYSTEM RES GENERATION MIX (GWh)




Annex 2.3



## SYSTEM RES GENERATION MIX PER RES TECHNOLOGY (GWh)

November 2023



### Notes

RES Generation includes:


- generation in the point of injection to the System from RES generation connected directly to System substations (System RES)
- generation from dispatchable co-generation units that has been characterised as high efficiency Co-Generation (System RES)

## Conventional Generation per Producer

NET GENERATION (GWh) - NET CAPACITY (MW)

November 2023


 Annex 2.4



PRODUCER	GWh	%
PPC	1.089,85	64,86%
MYTILINEOS	348,07	20,72%
HERON 2 VIOTIAS	131,74	7,84%
ELPEDISON	106,70	6,35%
HERON	3,86	0,23%
KORINTHOS POWER	0,00	0,00%

PERCENTAGE OF NET CONVENTIONAL GENERATION IN THE SYSTEM (%)

 Annex 2.5



NET  
CAPACITY

PRODUCER	MW	%
PPC	8.670,00	71,74%
MYTILINEOS	1.572,70	13,01%
ELPEDISON	828,00	6,85%
HERON 2 VIOTIAS	433,70	3,59%
KORINTHOS POWER	433,46	3,59%
HERON	147,76	1,22%

### Notes

- Generation refers to the injection point in the System.
- Conventional Generation includes the generation of large scale hydro units, as well as the generation of dispatchable co-generation units that has not been characterised as high efficiency Co-Generation.

# Net Generation - Net Capacity by Dispatchable Generation Units in the System

Annex 2.6

## NET GENERATION (GWh)

AGRAS	2,12
AOOS	13,88
ASOMATA	7,77
EDESSAIOS	1,77
ILARIONAS	10,83
KASTRAKI	37,20
KREMASTA	56,97
LADONAS	7,81
PLASTIRAS	2,17
PLATANOVRYSI	8,16
POLYFYTO	22,88
POURNARI1	38,19
POURNARI2	5,62
SFIKIA	26,60
STRATOS1	17,62
THESAVROS	28,94
AGIOS DIMITRIOS1	0,00
AGIOS DIMITRIOS2	0,00
AGIOS DIMITRIOS3	0,00
AGIOS DIMITRIOS4	61,66
AGIOS DIMITRIOS5	155,29
MEGALOPOLI3	0,00
MEGALOPOLI4	0,00
MELITI	0,00
PROLEMAIDA5	160,54
AGIOS NIKOLAOS2	140,26
ALIVERI5	59,89
ALOUMINIO	72,12
ELPEDISON THESS	106,70
ELPEDISON THISVI	0,00
HERON CC	131,74
KOMOTINI	2,20
KORINTHOS POWER	0,00
LAVRIO4	19,51
LAVRIO5	128,06
MEGALOPOLI5	214,17
PROTERGIA CC	135,69
HERON1	1,07
HERON2	1,31
HERON3	1,48

## NET CAPACITY (MW)

50	50
210	210
108	108
19	19
153	153
320	320
437	437
70	70
130	130
116	116
375	375
300	300
34	34
315	315
150	150
384	384
274	274
274	274
283	283
283	283
61,66	61,66
155,29	155,29
255	255
256	256
289	289
616	616
806	806
417	417
334	334
418	418
410	410
434	434
476	476
433	433
536	536
387	387
811	811
433	433
49	49
49	49
49	49



## UTILISATION COEFFICIENT (%)

5,89%
9,18%
9,99%
12,92%
9,83%
16,15%
18,10%
15,51%
2,31%
9,77%
8,47%
17,68%
23,22%
11,73%
16,31%
10,47%
0,00%
0,00%
0,00%
30,26%
63,07%
0,00%
0,00%
0,00%
0,00%
42,19%
0,64%
0,00%
5,05%
45,96%
36,68%
43,55%
3,03%
3,68%
4,18%

Net Generation (GWh) Net Capacity (MW) Utilisation Coefficient (%)

	N.G. Open Cycle	3,86	148	3,6%
	Hydro	289	3.171	12,6%
	Lignite	377	2.872	18,3%
	N.G. Combined Cycle	1.010	5.895	23,8%

**1.680** **12.086** **19,3%**



## Notes


- Generation refers to the injection point in the System.
- Generation by dispatchable co-generation units that has not been characterised as high efficiency Co-Generation is the total generation (conventional and Co-Generation).
- Utilisation coefficient is the ratio of the monthly electricity generation to the maximum possible electricity generation during this period.
- The generation units Agios Nikolaos2 and Ptolemaida5 are in trial phase. Their Net Capacity shall be precisely determined following the completion of the trial phase.

# Geographical Distribution of Conventional Generation


Q Annex 2.7

## GEOGRAPHICAL DISTRIBUTION OF CONVENTIONAL GENERATION


NET CAPACITY (MW) | NET GENERATION (GWh)





## ENERGY MIX OF CONVENTIONAL GENERATION



per geographical area (%)



## GEOGRAPHICAL DISTRIBUTION OF CONVENTIONAL GENERATION per fuel category (%)



### Notes


- Generation refers to the injection point in the System.
- Generation by dispatchable co-generation units that has not been characterised as high efficiency Co-Generation, is the total generation (conventional and Co-Generation).

# Geographical Distribution of System RES Generation

 Annex 2.8

## GEOGRAPHICAL DISTRIBUTION OF SYSTEM RES GENERATION

NET CAPACITY (MW) | NET GENERATION (GWh)




### Notes

- It includes the priority capacity of the co-generation production unit of Alouminio based on the Dispatchable RES Units Registry of the RES Operator & Guarantees of Origin (DAPEEP S.A.) and 70% of its total generation, pending relevant calculations by DAPEEP S.A.
- It includes the net capacity and net generation at the points of injection into the System from telemetered RES stations directly connected to System's substations.
- In the geographical distribution, net capacity and net generation are included in the area where the connection point of the RES station to the System is located.

## ENERGY MIX OF SYSTEM RES GENERATION

	(MW)	%	(GWh)	%	
	4.477	79,4%	1.055,6	86,9%	WIND
	956	16,9%	78,2	6,4%	PHOTOVOLTAIC
	40	0,7%	11,1	0,9%	SMALL HYDRO
	167	3,0%	70,3	5,8%	CO-GENERATION
	2	0,0%	0,0	0,0%	BIOGAS
<b>5.641</b>		<b>1.215,2</b>			


per geographical area (%)





## GEOGRAPHICAL DISTRIBUTION OF SYSTEM RES GENERATION

per RES technology (%)


12%	9%	20%	1%	16%	31%	WIND
50%				14%	30%	PHOTOVOLTAIC
19%	5%			77%		SMALL HYDRO
17%	11%			72%		CO-GENERATION
				100%		BIOGAS




## Energy on Interconnections



EVOLUTION OF COMMERCIAL PROGRAMS (GWh) Annex 3.1



EVOLUTION OF PHYSICAL ENERGY FLOWS (GWh) Annex 3.2




### Notes

1 Balance of commercial programs in the interconnections is calculated as the difference "Commercial Program Imports"- "Commercial Program Exports" for all the interconnections.

2 Balance of physical energy flows on the interconnections is calculated as the difference "Physical Flow Imports " -"Physical Flow Exports" for all the interconnections.

## Commercial Programs per Interconnection

### Interconnection Balance




### COMMERCIAL PROGRAMS PER INTERCONNECTION




Annex 3.3-3.4


#### IMPORTS 2023




#### EXPORTS 2023



#### IMPORTS 2022



#### EXPORTS 2022





Με μπατιά



Ισοζύγιο



Ζήτηση



Παραγωγή



Διασυνδέσεις



Παράρτημα

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023 | 1st VERSION

## 1.1 Demand by Consumption Category (GWh)

**2022**

MONTH	SYSTEM TO NETWORK BOUNDARY SUBSTATIONS	DEMAND SUPPLIED BY GENERATION UNITS ON THE NETWORK	HIGH VOLTAGE CONSUMERS	MINES	SELF-PRODUCTION	PUMPING	SYSTEM LOSSES	CRETE INTERCONNECTION	TOTAL DEMAND	SYSTEM DEMAND
JAN	3.522,91	544,04	597,00	26,37	17,83	6,70	135,59	30,71	4.881,14	4.337,10
FEB	2.931,62	532,60	520,61	23,27	18,56	13,97	113,46	22,43	4.176,51	3.643,91
MAR	3.217,66	670,52	593,67	27,03	16,13	12,17	132,69	21,88	4.691,75	4.021,23
APR	2.157,97	766,85	560,25	23,92	26,07	28,79	97,46	36,49	3.697,80	2.930,94
MAY	2.264,01	831,88	577,75	23,28	23,58	18,46	93,17	68,73	3.900,86	3.068,98
JUN	2.739,92	812,17	548,12	21,37	19,85	16,53	112,67	58,24	4.328,86	3.516,70
JUL	3.342,34	917,51	554,78	22,30	14,25	13,21	135,30	19,79	5.019,48	4.101,98
AUG	3.169,61	796,82	500,40	21,99	13,51	12,80	114,56	31,57	4.661,26	3.864,43
SEP	2.425,32	764,06	551,63	19,33	23,19	15,88	95,75	20,70	3.915,86	3.151,80
OCT	2.149,02	736,29	569,86	19,79	28,09	27,25	94,58	19,19	3.644,06	2.907,78
NOV	2.409,72	521,60	568,99	19,34	23,40	20,63	95,85	28,18	3.687,70	3.166,10
DEC	2.852,15	468,44	563,12	22,51	27,54	20,22	105,85	22,82	4.082,64	3.614,20
	<b>33.182,23</b>	<b>8.362,77</b>	<b>6.706,18</b>	<b>270,50</b>	<b>251,99</b>	<b>206,59</b>	<b>1.326,92</b>	<b>380,73</b>	<b>50.687,92</b>	<b>42.325,15</b>

**2023**

MONTH	SYSTEM TO NETWORK BOUNDARY SUBSTATIONS	DEMAND SUPPLIED BY GENERATION UNITS ON THE NETWORK	HIGH VOLTAGE CONSUMERS	MINES	SELF-PRODUCTION	PUMPING	SYSTEM LOSSES	CRETE INTERCONNECTION	TOTAL DEMAND	SYSTEM DEMAND
JAN	2.902,05	565,23	550,50	24,29	27,31	32,02	100,46	42,47	4.244,32	3.679,09
FEB	2.696,45	679,62	506,42	22,26	28,08	18,03	92,67	53,96	4.097,50	3.417,88
MAR	2.397,34	820,25	563,47	21,76	36,47	35,45	82,89	51,36	4.008,98	3.188,73
APR	2.015,27	845,94	524,52	20,05	35,11	33,45	77,94	56,79	3.609,07	2.763,13
MAY	2.056,85	838,21	535,61	19,05	34,00	37,71	77,79	62,33	3.661,52	2.823,32
JUN	2.227,82	946,20	507,60	15,49	34,72	22,53	74,84	69,04	3.898,33	2.952,13
JUL	3.659,37	1.074,21	546,43	17,81	27,11	11,23	110,06	83,65	5.529,96	4.455,75
AUG	3.185,59	1.022,96	487,59	17,71	34,39	13,26	103,26	86,12	4.951,00	3.928,04
SEP	2.353,75	776,11	492,46	15,28	33,12	23,59	93,69	59,21	3.847,30	3.071,20
OCT	2.158,25	752,58	551,26	19,07	25,64	16,07	87,99	68,35	3.679,32	2.926,74
NOV	2.365,37	601,78	560,71	18,63	29,92	42,85	79,35	38,58	3.737,30	3.135,52
	<b>28.018,09</b>	<b>8.923,08</b>	<b>5.826,57</b>	<b>211,39</b>	<b>345,86</b>	<b>286,20</b>	<b>980,93</b>	<b>671,85</b>	<b>45.264,60</b>	<b>36.341,52</b>



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

1st VERSION

## 1.2 Maximum and Minimum Hourly Total Demand (MW)

**2022**

MONTH	MAXIMUM TOTAL DEMAND	MAXIMUM TOTAL DEMAND DATE	MAXIMUM TOTAL DEMAND TIME	MINIMUM TOTAL DEMAND	MINIMUM TOTAL DEMAND DATE	MINIMUM TOTAL DEMAND TIME
JAN	9.223	24/01/2022	12:00	4.057	02/01/2022	5:00
FEB	8.311	03/02/2022	20:00	4.212	21/02/2022	5:00
MAR	8.467	10/03/2022	14:00	4.173	28/03/2022	5:00
APR	6.980	18/04/2022	21:00	3.295	25/04/2022	5:00
MAY	7.220	27/05/2022	13:00	3.626	02/05/2022	7:00
JUN	8.668	23/06/2022	14:00	3.988	12/06/2022	7:00
JUL	9.512	28/07/2022	14:00	4.324	11/07/2022	5:00
AUG	8.635	01/08/2022	14:00	4.168	15/08/2022	7:00
SEP	7.574	01/09/2022	14:00	3.741	26/09/2022	4:00
OCT	6.230	01/10/2022	14:00	3.532	31/10/2022	4:00
NOV	7.382	30/11/2022	13:00	3.555	07/11/2022	3:00
DEC	7.186	22/12/2022	20:00	3.754	26/12/2022	6:00

**2023**

MONTH	MAXIMUM TOTAL DEMAND	MAXIMUM TOTAL DEMAND DATE	MAXIMUM TOTAL DEMAND TIME	MINIMUM TOTAL DEMAND	MINIMUM TOTAL DEMAND DATE	MINIMUM TOTAL DEMAND TIME
JAN	7.923	31/01/2023	20:00	3.734	01/01/2023	6:00
FEB	8.673	07/02/2023	13:00	3.722	28/02/2023	5:00
MAR	7.453	17/03/2023	14:00	3.756	27/03/2023	5:00
APR	6.632	06/04/2023	21:00	3.370	17/04/2023	5:00
MAY	6.290	26/05/2023	13:00	3.387	08/05/2023	4:00
JUN	7.726	28/06/2023	14:00	3.571	05/06/2023	4:00
JUL	10.385	26/07/2023	15:00	4.352	02/07/2023	7:00
AUG	9.221	04/08/2023	15:00	4.374	15/08/2023	7:00
SEP	7.587	01/09/2023	14:00	3.706	10/09/2023	5:00
OCT	6.350	05/10/2023	14:00	3.481	29/10/2023	5:00
NOV	7.215	27/11/2023	20:00	3.767	10/11/2023	5:00
DEC						

## 1.3 Maximum and Minimum Hourly System Demand (MW)

**2022**

MONTH	MAXIMUM SYSTEM DEMAND	MAXIMUM SYSTEM DEMAND DATE	MAXIMUM SYSTEM DEMAND TIME	MINIMUM SYSTEM DEMAND	MINIMUM SYSTEM DEMAND DATE	MINIMUM SYSTEM DEMAND TIME
JAN	8.622	27/01/2022	20:00	2.786	02/01/2022	13:00
FEB	7.937	03/02/2022	20:00	3.221	19/02/2022	13:00
MAR	8.052	10/03/2022	20:00	2.351	25/03/2022	12:00
APR	6.680	18/04/2022	21:00	1.016	24/04/2022	15:00
MAY	6.231	31/05/2022	22:00	2.412	20/05/2022	15:00
JUN	7.119	30/06/2022	22:00	2.813	19/06/2022	16:00
JUL	8.048	27/07/2022	22:00	2.877	10/07/2022	11:00
AUG	7.592	01/08/2022	22:00	2.226	15/08/2022	15:00
SEP	6.690	01/09/2022	21:00	1.982	25/09/2022	15:00
OCT	5.792	25/10/2022	20:00	1.846	30/10/2022	12:00
NOV	6.937	29/11/2022	20:00	2.662	01/11/2022	12:00
DEC	7.012	22/12/2022	20:00	2.240	25/12/2022	15:00

**2023**

MONTH	MAXIMUM SYSTEM DEMAND	MAXIMUM SYSTEM DEMAND DATE	MAXIMUM SYSTEM DEMAND TIME	MINIMUM SYSTEM DEMAND	MINIMUM SYSTEM DEMAND DATE	MINIMUM SYSTEM DEMAND TIME
JAN	7.515	31/01/2023	20:00	2.629	01/01/2023	15:00
FEB	8.226	09/02/2023	20:00	2.181	27/02/2023	15:00
MAR	6.655	17/03/2023	20:00	1.080	26/03/2023	15:00
APR	6.328	06/04/2023	21:00	1.216	15/04/2023	14:00
MAY	5.633	02/05/2023	21:00	1.453	07/05/2023	16:00
JUN	6.518	28/06/2023	22:00	2.144	05/06/2023	15:00
JUL	8.960	21/07/2023	21:00	2.735	09/07/2023	15:00
AUG	8.162	03/08/2023	22:00	2.246	15/08/2023	13:00
SEP	6.762	01/09/2023	21:00	1.794	10/09/2023	15:00
OCT	5.807	24/10/2023	20:00	1.492	15/10/2023	15:00
NOV	7.002	27/11/2023	20:00	1.870	05/11/2023	12:00
DEC						



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

| 1st VERSION

## 1.4 Average Hourly Total Demand and System Demand (MW) Working Days of Month

**2022**

TIME	SYSTEM DEMAND	TOTAL DEMAND
1	4.104	4.329
2	3.856	4.078
3	3.773	3.995
4	3.732	3.953
5	3.744	3.965
6	3.885	4.104
7	4.251	4.467
8	4.665	4.975
9	4.536	5.410
10	4.171	5.721
11	3.839	5.855
12	3.659	5.935
13	3.681	5.982
14	3.798	5.952
15	3.906	5.718
16	4.344	5.594
17	4.961	5.496
18	5.544	5.778
19	5.849	6.078
20	5.853	6.080
21	5.764	5.992
22	5.409	5.634
23	4.931	5.155
24	4.598	4.822

**2023**

TIME	SYSTEM DEMAND	TOTAL DEMAND
1	4.195	4.433
2	3.954	4.189
3	3.908	4.141
4	3.890	4.125
5	3.907	4.142
6	4.039	4.272
7	4.381	4.613
8	4.713	5.044
9	4.471	5.421
10	4.029	5.723
11	3.630	5.833
12	3.409	5.886
13	3.426	5.936
14	3.557	5.916
15	3.776	5.749
16	4.277	5.620
17	4.996	5.571
18	5.635	5.887
19	5.900	6.146
20	5.907	6.151
21	5.822	6.065
22	5.467	5.712
23	5.027	5.273
24	4.645	4.892

## 1.5 Hourly Total Demand and System Demand (MW) Date of Monthly Maximum and Minimum

Date of Maximum 27/11/2023

TIME	SYSTEM DEMAND	TOTAL DEMAND
1	4.375	4.674
2	4.038	4.328
3	4.071	4.343
4	3.991	4.262
5	3.987	4.257
6	4.141	4.404
7	4.709	4.963
8	5.392	5.701
9	5.128	6.225
10	4.297	6.528
11	3.644	6.652
12	3.214	6.602
13	3.113	6.518
14	3.273	6.427
15	3.738	6.328
16	4.712	6.366
17	5.903	6.439
18	6.638	6.857
19	6.908	7.126
20	7.002	7.215
21	6.967	7.179
22	6.580	6.807
23	6.071	6.311
24	5.479	5.737

Date of Minimum 10/11/2023

TIME	SYSTEM DEMAND	TOTAL DEMAND
1	4.097	4.297
2	3.800	3.993
3	3.700	3.884
4	3.643	3.820
5	3.587	3.767
6	3.707	3.883
7	4.087	4.262
8	4.403	4.692
9	4.328	5.153
10	4.358	5.547
11	4.386	5.714
12	4.542	5.799
13	4.792	5.934
14	4.985	5.911
15	5.018	5.734
16	5.145	5.713
17	5.115	5.570
18	5.442	5.707
19	5.615	5.881
20	5.588	5.861
21	5.466	5.746
22	5.080	5.372
23	4.634	4.935
24	4.309	4.612



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

| 1st VERSION

## 1.6 Analysis of Load Representatives' Supply (GWh)

LOAD REPRESENTATIVE	2023-01	2023-02	2023-03	2023-04	2023-05	2023-06	2023-07	2023-08	2023-09	2023-10	2023-11	TOTAL
PPC	2.453,9	2.457,2	2.368,5	2.080,3	1.955,0	2.058,5	3.128,7	2.794,7	1.973,4	1.804,9	1.905,3	<b>24.980,5</b>
HERON	285,6	283,1	283,4	256,6	357,8	397,8	496,4	419,4	430,1	459,9	450,5	<b>4.120,8</b>
MYTILINEOS	431,2	295,1	287,0	256,8	265,9	304,9	412,7	368,8	309,3	289,0	282,4	<b>3.503,0</b>
ELPEDISON	248,0	235,0	238,1	209,0	228,2	227,3	308,8	276,7	227,3	223,8	223,1	<b>2.645,5</b>
NRG	188,1	192,7	193,3	168,6	171,8	200,4	283,1	259,8	209,9	196,9	192,9	<b>2.257,4</b>
WATT AND VOLT	84,7	82,4	106,4	157,1	179,3	171,3	158,4	162,3	154,3	176,1	184,7	<b>1.617,0</b>
ATTIKI GSC	110,1	113,2	115,4	103,0	106,6	120,0	166,4	140,7	125,6	121,3	119,4	<b>1.341,8</b>
ZENITH	89,0	87,2	81,6	72,5	81,0	86,4	135,8	118,9	84,0	78,4	85,9	<b>1.000,8</b>
VOLTERRA	74,6	74,6	80,5	70,0	74,6	83,1	97,9	87,4	81,2	77,2	73,7	<b>874,7</b>
VOLTON	40,1	37,9	33,8	27,9	29,1	30,4	44,1	38,5	28,3	38,9	42,8	<b>391,9</b>
PPC_USP	38,1	37,9	34,2	29,1	33,8	31,3	46,6	40,5	28,4	27,1	30,1	<b>377,1</b>
KEN	21,2	20,2	17,5	14,4	12,6	16,5	23,3	20,3	15,5	0,4		<b>162,0</b>
ELINOIL	6,8	6,3	6,5	5,4	5,5	5,7	7,3	9,3	6,9	6,1	6,0	<b>71,7</b>
EUNICE TRAD	5,2	5,2	5,5	5,2	4,8	5,8	7,4	6,8	6,8	6,9	6,4	<b>65,9</b>
VIENER	6,5	6,0	7,1	5,7	2,3	2,5	3,1	2,6	2,4	2,3	2,2	<b>42,7</b>
ELTA	6,1	5,6	5,0	3,7	3,2	3,0	2,7	2,5	1,7	1,4	1,2	<b>36,1</b>
OTE	2,0	1,9	1,9	1,7	1,8	1,9	2,4	2,3	1,9	1,8	1,8	<b>21,4</b>
MYTILINEOS_USP	2,1	2,0	1,8	1,5	1,8	1,7	2,6	2,2	1,5	1,5	1,6	<b>20,5</b>
ELPEDISON_USP	1,9	1,9	1,7	1,5	1,7	1,6	2,4	2,0	1,4	1,4	1,5	<b>18,8</b>
HERON_USP	1,6	1,6	1,4	1,2	1,4	1,3	2,3	1,7	1,2	1,3	1,5	<b>16,6</b>
SOLAR ENERGY	1,1	1,1	1,2	1,2	0,9	1,3	1,9	1,7	1,6	1,9	1,6	<b>15,7</b>
NRG_USP	1,2	1,2	1,1	0,9	1,0	1,0	1,8	1,5	1,0	1,0	1,1	<b>12,8</b>
MARKOU	0,6	0,5	0,7	0,2	0,5	0,1	0,1	0,1	0,1	2,2	2,0	<b>7,1</b>
KOR_POWER	0,8	0,3	0,6	0,2	0,4	0,3	0,2	0,5	0,4	0,2	0,3	<b>4,2</b>
HERON2_V	0,6	0,4	0,5	0,3	0,4	0,4	0,2	0,2	0,2	0,2	0,5	<b>3,9</b>
VIOLAR	0,3	0,2	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,9	1,0	<b>3,0</b>
<b>TOTAL</b>	<b>4.101,4</b>	<b>3.950,9</b>	<b>3.874,7</b>	<b>3.474,3</b>	<b>3.521,4</b>	<b>3.754,4</b>	<b>5.336,8</b>	<b>4.761,8</b>	<b>3.694,5</b>	<b>3.523,2</b>	<b>3.619,6</b>	<b>43.613,0</b>

## 1.7 Monthly Market Share of Load Representatives per voltage level (GWh/%)

LOAD REPRESENTATIVE	HV(GWh)	HV(%)	MV(GWh)	MV(%)	LV(GWh)	LV(%)	TOTAL(GWh)	TOTAL(%)
PPC	288,18	44,19%	270,61	32,90%	1.346,52	62,78%	1.905,31	52,64%
HERON	156,36	23,98%	151,19	18,38%	142,98	6,67%	450,54	12,45%
MYTILINEOS	4,29	0,66%	134,68	16,37%	143,40	6,69%	282,37	7,80%
ELPEDISON	65,98	10,12%	51,16	6,22%	105,96	4,94%	223,10	6,16%
NRG	10,07	1,54%	72,49	8,81%	110,30	5,14%	192,87	5,33%
WATT AND VOLT	120,27	18,44%	6,79	0,83%	57,65	2,69%	184,71	5,10%
ATTIKI GSC	0,00	0,00%	60,28	7,33%	59,12	2,76%	119,40	3,30%
ZENITH	0,00	0,00%	3,49	0,42%	82,44	3,84%	85,93	2,37%
VOLTERRA	6,17	0,95%	50,41	6,13%	17,11	0,80%	73,69	2,04%
VOLTON	0,00	0,00%	6,11	0,74%	36,67	1,71%	42,78	1,18%
PPC_USP	0,00	0,00%	0,00	0,00%	30,10	1,40%	30,10	0,83%
EUNICE TRAD	0,00	0,00%	3,63	0,44%	2,80	0,13%	6,44	0,18%
ELINOIL	0,00	0,00%	3,92	0,48%	2,03	0,09%	5,95	0,16%
VIENER	0,00	0,00%	2,20	0,27%	0,00	0,00%	2,20	0,06%
MARKOU	0,00	0,00%	2,02	0,25%	0,00	0,00%	2,02	0,06%
OTE	0,00	0,00%	0,99	0,12%	0,86	0,04%	1,85	0,05%
SOLAR ENERGY	0,00	0,00%	1,03	0,13%	0,61	0,03%	1,65	0,05%
MYTILINEOS_USP	0,00	0,00%	0,00	0,00%	1,65	0,08%	1,65	0,05%
ELPEDISON_USP	0,00	0,00%	0,00	0,00%	1,52	0,07%	1,52	0,04%
HERON_USP	0,00	0,00%	0,00	0,00%	1,46	0,07%	1,46	0,04%
ELTA	0,00	0,00%	0,52	0,06%	0,65	0,03%	1,16	0,03%
NRG_USP	0,00	0,00%	0,00	0,00%	1,13	0,05%	1,13	0,03%
VIOLAR	0,00	0,00%	1,00	0,12%	0,01	0,00%	1,01	0,03%
HERON2_V	0,45	0,07%	0,00	0,00%	0,00	0,00%	0,45	0,01%
KOR_POWER	0,33	0,05%	0,00	0,00%	0,00	0,00%	0,33	0,01%
<b>TOTAL</b>	<b>652,10</b>	<b>100,00%</b>	<b>822,53</b>	<b>100,00%</b>	<b>2.144,98</b>	<b>100,00%</b>	<b>3.619,61</b>	<b>100,00%</b>

## 2.1 Evolution of Energy Mix (GWh)

**2022**

MONTH	LIGNITE	NATURAL GAS	HYDRO	OTHER FUEL	SYSTEM RES	NETWORK RES	CRETE INTERCONNECTION (RES)	CONVENTIONAL GENERATION	SYSTEM GENERATION	TOTAL GENERATION
JAN	509,089	1.566,934	682,671	2,202	986,986	544,040	2,327	2.760,896	3.750,209	4.294,249
FEB	412,584	1.483,143	205,772	2,031	874,822	532,601	1,467	2.103,530	2.979,819	3.512,420
MAR	671,611	2.070,201	337,682	2,034	1.016,516	670,517	1,302	3.081,528	4.099,346	4.769,863
APR	176,127	827,202	228,322	1,916	902,052	766,852	2,020	1.233,567	2.137,639	2.904,491
MAY	222,826	1.184,083	312,270	2,209	687,767	831,875	0,382	1.721,388	2.409,537	3.241,412
JUN	468,099	1.627,528	379,159	2,338	880,934	812,167	0,428	2.477,124	3.358,486	4.170,653
JUL	739,377	2.249,903	447,562	2,396	1.171,811	917,507	1,108	3.439,238	4.612,157	5.529,664
AUG	794,904	2.141,674	429,492	2,452	856,810	796,824	0,315	3.368,522	4.225,647	5.022,471
SEP	394,231	1.249,569	269,580	2,357	788,578	764,063	1,324	1.915,737	2.705,639	3.469,702
OCT	277,407	793,115	207,132	2,491	1.148,214	736,286	3,813	1.280,145	2.432,172	3.168,458
NOV	312,781	1.200,292	211,790	2,155	1.078,388	521,601	2,650	1.727,018	2.808,056	3.329,657
DEC	606,588	1.554,965	293,816	2,287	898,398	468,437	2,756	2.457,656	3.358,810	3.827,247
	<b>5.585,624</b>	<b>17.948,609</b>	<b>4.005,248</b>	<b>26,868</b>	<b>11.291,276</b>	<b>8.362,770</b>	<b>19,892</b>	<b>27.566,349</b>	<b>38.877,517</b>	<b>47.240,287</b>

**2023**

MONTH	LIGNITE	NATURAL GAS	HYDRO	OTHER FUEL	SYSTEM RES	NERWORK RES	CRETE INTERCONNECTION (RES)	CONVENTIONAL GENERATION	SYSTEM GENERATION	TOTAL GENERATION
JAN	405,532	885,725	353,362	2,251	984,504	565,229	1,565	1.646,870	2.632,939	3.198,168
FEB	611,167	917,775	286,531	1,893	1.012,430	679,618	1,404	1.817,366	2.831,200	3.510,818
MAR	428,766	949,211	187,044	0,300	1.058,859	820,246	2,430	1.565,321	2.626,610	3.446,856
APR	275,156	1.099,621	175,728	0,777	806,813	845,941	0,915	1.551,282	2.359,010	3.204,951
MAY	199,692	873,382	216,867	1,421	924,831	838,206	0,334	1.291,362	2.216,527	3.054,733
JUN	218,540	1.395,369	371,042	1,604	628,615	946,202	0,104	1.986,555	2.615,274	3.561,476
JUL	591,388	1.910,425	431,952	1,564	800,795	1.074,208	0,003	2.935,329	3.736,127	4.810,335
AUG	371,479	1.619,973	436,067	1,621	1.230,797	1.022,957	0,000	2.429,140	3.659,937	4.682,894
SEP	187,093	1.507,491	360,307	0,890	1.148,444	776,106	0,216	2.055,781	3.204,441	3.980,547
OCT	358,380	1.326,658	440,540	1,003	899,172	752,583	0,463	2.126,581	3.026,216	3.778,799
NOV	377,494	963,713	288,525	0,963	1.215,243	601,781	1,304	1.630,695	2.847,242	3.449,023
DEC										
	<b>4.024,687</b>	<b>13.449,343</b>	<b>3.547,965</b>	<b>14,287</b>	<b>10.710,503</b>	<b>8.923,077</b>	<b>8,738</b>	<b>21.036,282</b>	<b>31.755,523</b>	<b>40.678,600</b>

## 2.2 Evolution of Conventional Generation Mix (GWh)

**2022**

MONTH	LIGNITE	NATURAL GAS	HYDRO	OTHER FUEL	TOTAL CONVENTIONAL GENERATION
JAN	509,09	1.566,93	682,67	2,20	2.760,90
FEB	412,58	1.483,14	205,77	2,03	2.103,53
MAR	671,61	2.070,20	337,68	2,03	3.081,53
APR	176,13	827,20	228,32	1,92	1.233,57
MAY	222,83	1.184,08	312,27	2,21	1.721,39
JUN	468,10	1.627,53	379,16	2,34	2.477,12
JUL	739,38	2.249,90	447,56	2,40	3.439,24
AUG	794,90	2.141,67	429,49	2,45	3.368,52
SEP	394,23	1.249,57	269,58	2,36	1.915,74
OCT	277,41	793,12	207,13	2,49	1.280,15
NOV	312,78	1.200,29	211,79	2,16	1.727,02
DEC	606,59	1.554,97	293,82	2,29	2.457,66
	<b>5.585,62</b>	<b>17.948,61</b>	<b>4.005,25</b>	<b>26,87</b>	<b>27.566,35</b>

**2023**

MONTH	LIGNITE	NATURAL GAS	HYDRO	OTHER FUEL	TOTAL CONVENTIONAL GENERATION
JAN	405,53	885,73	353,36	2,25	1.646,87
FEB	611,17	917,78	286,53	1,89	1.817,37
MAR	428,77	949,21	187,04	0,30	1.565,32
APR	275,16	1.099,62	175,73	0,78	1.551,28
MAY	199,69	873,38	216,87	1,42	1.291,36
JUN	218,54	1.395,37	371,04	1,60	1.986,56
JUL	591,39	1.910,43	431,95	1,56	2.935,33
AUG	371,48	1.619,97	436,07	1,62	2.429,14
SEP	187,09	1.507,49	360,31	0,89	2.055,78
OCT	358,38	1.326,66	440,54	1,00	2.126,58
NOV	377,49	963,71	288,53	0,96	1.630,70
DEC					
	<b>4.024,69</b>	<b>13.449,34</b>	<b>3.547,97</b>	<b>14,29</b>	<b>21.036,28</b>

## 2.3 Evolution of System RES Generation Mix (GWh)

**2022**

MONTH	WIND	PHOTOVOLTAIC	SMALL HYDRO	CO-GENERATION	BIOGAS	TOTAL SYSTEM RES GENERATION
JAN	867,62	15,38	13,96	90,02		986,99
FEB	772,18	16,53	11,67	74,45		874,82
MAR	893,40	24,16	11,12	87,84		1.016,52
APR	777,32	35,39	15,22	74,12		902,05
MAY	535,53	58,51	12,14	81,59		687,77
JUN	704,37	73,22	11,17	92,18		880,93
JUL	964,10	89,47	10,55	107,69		1.171,81
AUG	683,92	77,03	7,11	88,76		856,81
SEP	629,26	75,68	6,92	76,71		788,58
OCT	997,11	66,55	5,30	79,25		1.148,21
NOV	948,86	38,73	7,47	83,32		1.078,39
DEC	730,42	35,81	12,59	119,58		898,40
	<b>9.504,09</b>	<b>606,45</b>	<b>125,22</b>	<b>1.055,52</b>		<b>11.291,28</b>

**2023**

MONTH	WIND	PHOTOVOLTAIC	SMALL HYDRO	CO-GENERATION	BIOGAS	TOTAL SYSTEM RES GENERATION
JAN	831,74	46,08	12,31	94,37		984,50
FEB	860,06	61,06	8,37	82,94		1.012,43
MAR	887,65	70,80	11,76	88,64		1.058,86
APR	639,87	73,36	11,13	82,46		806,81
MAY	758,79	69,92	11,51	84,61		924,83
JUN	442,59	95,69	10,44	79,88	0,010	628,61
JUL	581,85	128,27	9,21	81,01	0,464	800,79
AUG	1.008,27	130,27	9,01	82,97	0,284	1.230,80
SEP	969,16	106,21	8,43	63,90	0,745	1.148,44
OCT	706,68	114,78	7,64	69,55	0,522	899,17
NOV	1.055,64	78,23	11,06	70,30	0,001	1.215,24
DEC						
	<b>8.742,31</b>	<b>974,66</b>	<b>110,88</b>	<b>880,63</b>	<b>2,026</b>	<b>10.710,50</b>



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

| 1st VERSION

## 2.4 Analysis of Conventional Net Generation and Capacity per Producer (GWh/%)

PRODUCER	NET GENERATION (GWh)	NET GENERATION (%)	NET CAPACITY (MW)	NET CAPACITY (%)
PPC	1.089,85	64,86%	8.670,00	71,74%
MYTILINEOS	348,07	20,72%	1.572,70	13,01%
HERON 2 VIOTIAS	131,74	7,84%	433,70	3,59%
ELPEDISON	106,70	6,35%	828,00	6,85%
HERON	3,86	0,23%	147,76	1,22%
KORINTHOS POWER	0,00	0,00%	433,46	3,59%
<b>TOTAL</b>	<b>1.680,22</b>	<b>100,00%</b>	<b>12.085,62</b>	<b>100,00%</b>

## 2.5 Evolution of Conventional Generation per Producer (GWh)

PRODUCER	2023-01	2023-02	2023-03	2023-04	2023-05	2023-06	2023-07	2023-08	2023-09	2023-10	2023-11	TOTAL
PPC	1.154,8	1.285,0	1.012,2	934,7	774,3	1.165,3	1.754,9	1.550,0	1.121,9	1.519,6	1.089,8	<b>13.362,6</b>
MYTILINEOS	157,5	111,1	271,0	282,8	269,3	337,7	527,6	378,1	631,4	284,3	348,1	<b>3.599,0</b>
ELPEDISON	246,5	215,5	132,8	169,0	64,0	231,7	333,9	288,1	165,1	158,4	106,7	<b>2.111,7</b>
HERON 2 VIOTIAS	113,0	122,1	134,7	59,8	123,6	153,7	184,5	188,1	181,8	208,8	131,7	<b>1.601,8</b>
KORINTHOS POWER	45,4	145,2	83,6	169,2	126,4	159,2	194,5	85,8	0,0	0,0	0,0	<b>1.009,2</b>
HERON	0,0	0,0	0,0	0,0	0,5	1,6	3,9	4,6	2,9	6,7	3,9	<b>24,2</b>
<b>TOTAL</b>	<b>1.717,1</b>	<b>1.878,9</b>	<b>1.634,3</b>	<b>1.615,4</b>	<b>1.358,3</b>	<b>2.049,3</b>	<b>2.999,3</b>	<b>2.494,8</b>	<b>2.103,0</b>	<b>2.177,9</b>	<b>1.680,2</b>	<b>21.708,5</b>

## 2.6 Net Generation - Net Capacity of Conventional Production Units in the System

PRODUCTION UNIT	PRODUCER	FUEL/TECHNOLOGY	NET CAPACITY (MW)	NET GENERATION (GWh)	UTILISATION COEFFICIENT (%)
AGIOS DIMITRIOS1	PPC	LIGNITE	274,00	0,00	0,00%
AGIOS DIMITRIOS2	PPC	LIGNITE	274,00	0,00	0,00%
AGIOS DIMITRIOS3	PPC	LIGNITE	283,00	0,00	0,00%
AGIOS DIMITRIOS4	PPC	LIGNITE	283,00	61,66	30,26%
AGIOS DIMITRIOS5	PPC	LIGNITE	342,00	155,29	63,07%
MEGALOPOLI3	PPC	LIGNITE	255,00	0,00	0,00%
MEGALOPOLI4	PPC	LIGNITE	256,00	0,00	0,00%
MELITI	PPC	LIGNITE	289,00	0,00	0,00%
PROLEMAIDA5	PPC	LIGNITE	616,00	160,54	36,20%
AGRAS	PPC	HYDRO	50,00	2,12	5,89%
AOOS	PPC	HYDRO	210,00	13,88	9,18%
ASOMATA	PPC	HYDRO	108,00	7,77	9,99%
EDESSAIOS	PPC	HYDRO	19,00	1,77	12,92%
ILARIONAS	PPC	HYDRO	153,00	10,83	9,83%
KASTRAKI	PPC	HYDRO	320,00	37,20	16,15%
KREMASTA	PPC	HYDRO	437,20	56,97	18,10%
LADONAS	PPC	HYDRO	70,00	7,81	15,51%
PLASTIRAS	PPC	HYDRO	129,90	2,17	2,31%
PLATANOVRYSI	PPC	HYDRO	116,00	8,16	9,77%
POLYFYTO	PPC	HYDRO	375,00	22,88	8,47%
POURNARI1	PPC	HYDRO	300,00	38,19	17,68%
POURNARI2	PPC	HYDRO	33,60	5,62	23,22%
SFIKIA	PPC	HYDRO	315,00	26,60	11,73%
STRATOS1	PPC	HYDRO	150,00	17,62	16,31%
THESAVROS	PPC	HYDRO	384,00	28,94	10,47%
AGIOS NIKOLAOS2	MYTILINEOS	NATURAL GAS	806,00	140,26	24,17%
ALIVERI5	PPC	NATURAL GAS	417,00	59,89	19,95%
ALOUMINIO	MYTILINEOS	NATURAL GAS	334,00	72,12	29,99%
ELPEDISON THESS	ELPEDISON	NATURAL GAS	418,00	106,70	35,45%
ELPEDISON THISVI	ELPEDISON	NATURAL GAS	410,00	0,00	0,00%
HERON CC	HERON 2 VIOTIAS	NATURAL GAS	433,70	131,74	42,19%
KOMOTINI	PPC	NATURAL GAS	476,30	2,20	0,64%
KORINTHOS POWER	KORINTHOS POWER	NATURAL GAS	433,46	0,00	0,00%
LAVRIO4	PPC	NATURAL GAS	536,00	19,51	5,05%
LAVRIO5	PPC	NATURAL GAS	387,00	128,06	45,96%
MEGALOPOLIS	PPC	NATURAL GAS	811,00	214,17	36,68%
PROTERGIA CC	MYTILINEOS	NATURAL GAS	432,70	135,69	43,55%
HERON1	HERON	NATURAL GAS	49,25	1,07	3,03%
HERON2	HERON	NATURAL GAS	49,25	1,31	3,68%
HERON3	HERON	NATURAL GAS	49,25	1,48	4,18%
<b>TOTAL</b>			<b>12.085,62</b>	<b>1.680,22</b>	<b>19,31%</b>

### Notes

- Generation refers to the injection point in the System.
- Generation by dispatchable co-generation units that has not been characterised as high efficiency Co-Generation is the total generation (conventional and Co-Generation).
- Utilisation coefficient is the ratio of the monthly electricity generation to the maximum possible electricity generation during this period.
- The generation units Agios Nikolaos2 and Ptolemaida5 are in trial phase. Their Net Capacity shall be precisely determined following the completion of the trial phase.

## 2.7 Geographical Distribution of Conventional Generation<sup>1</sup>

FUEL AREA	HYDRO		LIGNITE		NATURAL GAS		TOTAL	
	NET GENERATION (GWh)	NET CAPACITY (MW)	NET GENERATION (GWh)	NET CAPACITY (MW)	NET GENERATION (GWh)	NET CAPACITY (MW)	NET GENERATION (GWh)	NET CAPACITY (MW)
ATTICA					147,57	923	<b>147,57</b>	<b>923</b>
CENTRAL GREECE	111,79	907			483,68	2.564	<b>595,47</b>	<b>3.471</b>
CENTRAL MACEDONIA	61,13	867			106,70	418	<b>167,83</b>	<b>1.285</b>
EAST MACEDONIA - THRACE	37,10	500			2,20	476	<b>39,30</b>	<b>976</b>
EPIRUS	57,69	544					<b>57,69</b>	<b>544</b>
EVIA					59,89	417	<b>59,89</b>	<b>417</b>
PELOPONNESE	7,81	70	0,00	511	214,17	1.244	<b>221,98</b>	<b>1.825</b>
THESSALY	2,17	130					<b>2,17</b>	<b>130</b>
WEST MACEDONIA	10,83	153	377,49	2.361			<b>388,32</b>	<b>2.514</b>
<b>TOTAL</b>	<b>288,53</b>	<b>3.171</b>	<b>377,49</b>	<b>2.872</b>	<b>1.014,20</b>	<b>6.043</b>	<b>1.680,22</b>	<b>12.086</b>

### Notes

- Generation refers to the injection point in the System.
- Generation by dispatchable co-generation units that has not been characterised as high efficiency Co-Generation, is the total generation (conventional and Co-Generation).
- It includes the priority capacity of the co-generation production unit of Alouminio based on the Dispatchable RES Units Registry of the RES Operator & Guarantees of Origin (DAPEEP S.A.) and 70% of its total generation, pending relevant calculations by DAPEEP S.A.
- It includes the net capacity and net generation at the points of injection into the System from telemetered RES stations directly connected to System's substations.
- In the geographical distribution, net capacity and net generation are included in the area where the connection point of the RES station to the System is located.

## 2.8 Geographical Distribution of System RES Generation<sup>2</sup>

RES TECHNOLOGY AREA	BIOGAS		CO-GENERATION		PHOTOVOLTAIC		SMALL HYDRO		WIND		TOTAL	
	NET GENERATION (GWh)	NET CAPACITY (MW)										
ATTICA									33,29	148	<b>33,29</b>	<b>148</b>
CENTRAL GREECE			50,48	133	23,44	217	8,47	23	330,03	1.422	<b>412,43</b>	<b>1.794</b>
CENTRAL MACEDONIA			7,55	16	2,11	29	0,50	11	36,60	127	<b>46,75</b>	<b>182</b>
CYCLADES									4,28	15	<b>4,28</b>	<b>15</b>
EAST MACEDONIA - THRACE			12,27	18					124,47	518	<b>136,74</b>	<b>535</b>
EPIRUS									25,98	104	<b>25,98</b>	<b>104</b>
EVIA									213,71	984	<b>213,71</b>	<b>984</b>
IONIAN ISLANDS									27,49	93	<b>27,49</b>	<b>93</b>
PELOPONNESE	0,00	2			11,07	154			167,95	705	<b>179,02</b>	<b>860</b>
THESSALY					2,13	66	2,09	6	0,64	28	<b>4,86</b>	<b>100</b>
WEST MACEDONIA					39,48	490			91,21	334	<b>130,69</b>	<b>824</b>
<b>TOTAL</b>	<b>0,00</b>	<b>2</b>	<b>70,30</b>	<b>167</b>	<b>78,23</b>	<b>956</b>	<b>11,06</b>	<b>40</b>	<b>1.055,64</b>	<b>4.477</b>	<b>1.215,24</b>	<b>5.641</b>



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

| 1st VERSION

### 3.1 Evolution of Commercial Programs (GWh)

**2022**

MONTH	EXPORTS (GWh)	IMPORTS (GWh)	BALANCE (GWh)
JAN	400,744	990,513	589,769
FEB	269,469	947,492	678,023
MAR	612,120	543,888	-68,232
APR	190,996	1,010,597	819,601
MAY	214,245	888,629	674,384
JUN	391,646	556,808	165,162
JUL	879,519	373,762	-505,757
AUG	688,884	300,186	-388,698
SEP	365,574	815,584	450,010
OCT	389,184	887,420	498,236
NOV	469,318	839,716	370,398
DEC	602,715	872,335	269,620
<b>TOTAL</b>	<b>5,474,414</b>	<b>9,026,930</b>	<b>3,552,516</b>

**2023**

MONTH	EXPORTS (GWh)	IMPORTS (GWh)	BALANCE (GWh)
JAN	230,049	1,303,819	1,073,770
FEB	346,672	951,589	604,917
MAR	409,196	999,391	590,195
APR	418,808	844,025	425,217
MAY	233,613	878,051	644,438
JUN	242,456	592,855	350,399
JUL	322,277	1,079,365	757,088
AUG	592,949	888,892	295,943
SEP	698,701	598,079	-100,622
OCT	718,644	648,364	-70,280
NOV	328,710	669,255	340,545
DEC			
<b>TOTAL</b>	<b>4,542,075</b>	<b>9,453,685</b>	<b>4,911,610</b>

### 3.2 Evolution of Physical Energy Flows (GWh)

**2022**

MONTH	EXPORTS (GWh)	IMPORTS (GWh)	BALANCE (GWh)
JAN	254,203	841,095	586,892
FEB	183,817	847,909	664,091
MAR	569,589	491,477	-78,112
APR	132,667	925,971	793,304
MAY	175,224	834,672	659,447
JUN	350,938	509,147	158,209
JUL	841,402	331,219	-510,183
AUG	635,908	274,693	-361,214
SEP	283,579	729,737	446,158
OCT	218,593	694,197	475,604
NOV	273,883	631,922	358,038
DEC	383,564	638,953	255,389
<b>TOTAL</b>	<b>4,303,367</b>	<b>7,750,991</b>	<b>3,447,624</b>

**2023**

MONTH	EXPORTS (GWh)	IMPORTS (GWh)	BALANCE (GWh)
JAN	102,786	1,148,936	1,046,150
FEB	204,853	791,532	586,679
MAR	252,610	814,730	562,121
APR	308,404	712,524	404,120
MAY	129,275	736,065	606,791
JUN	95,328	432,184	336,856
JUL	159,606	879,234	719,628
AUG	355,074	623,181	268,107
SEP	551,124	417,879	-133,245
OCT	528,237	428,755	-99,482
NOV	172,722	460,996	288,275
DEC			
<b>TOTAL</b>	<b>2,860,017</b>	<b>7,446,016</b>	<b>4,586,000</b>

### 3.3 Commercial Programs of Imports per Border (GWh)

<b>2022</b>	<b>INTERCONNECTION</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>TOTAL</b>
	ALBANIA	147,490	163,144	60,643	228,934	194,236	74,000	26,647	10,632	126,065	191,501	171,810	201,407	<b>1.596,509</b>
	BULGARIA	374,953	337,030	264,373	360,108	290,351	293,137	177,270	144,613	313,673	252,121	248,524	295,017	<b>3.351,170</b>
	ITALY	210,696	197,158	86,204	163,501	102,648	12,128	16,427	4,579	119,173	205,583	163,425	167,558	<b>1.449,080</b>
	N. MACEDONIA	220,180	216,560	95,520	228,066	264,194	141,547	116,238	103,183	226,724	203,987	222,713	172,637	<b>2.211,549</b>
	TURKEY	37,194	33,600	37,148	29,988	37,200	35,996	37,180	37,179	29,949	34,228	33,244	35,716	<b>418,622</b>
	<b>TOTAL</b>	<b>990,513</b>	<b>947,492</b>	<b>543,888</b>	<b>1.010,597</b>	<b>888,629</b>	<b>556,808</b>	<b>373,762</b>	<b>300,186</b>	<b>815,584</b>	<b>887,420</b>	<b>839,716</b>	<b>872,335</b>	<b>9.026,930</b>
<b>2023</b>	<b>INTERCONNECTION</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>TOTAL</b>
	ALBANIA	279,078	201,953	216,750	158,053	177,270	152,932	220,234	159,702	109,383	113,205	172,458		<b>1.961,018</b>
	BULGARIA	476,171	375,795	394,528	399,410	330,649	233,343	402,994	318,050	228,957	252,602	269,577		<b>3.682,076</b>
	ITALY	234,331	120,734	119,691	57,754	120,441	0,000	136,174	129,399	74,270	59,029	0,000		<b>1.051,823</b>
	N. MACEDONIA	280,853	220,829	233,604	203,978	213,883	172,293	283,029	245,654	155,955	190,900	192,512		<b>2.393,490</b>
	TURKEY	33,386	32,278	34,818	24,830	35,808	34,287	36,934	36,087	29,514	32,628	34,708		<b>365,278</b>
	<b>TOTAL</b>	<b>1.303,819</b>	<b>951,589</b>	<b>999,391</b>	<b>844,025</b>	<b>878,051</b>	<b>592,855</b>	<b>1.079,365</b>	<b>888,892</b>	<b>598,079</b>	<b>648,364</b>	<b>669,255</b>		<b>9.453,685</b>

### 3.4 Commercial Programs of Exports per Border (GWh)

<b>2022</b>	<b>INTERCONNECTION</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>TOTAL</b>
	ALBANIA	134,757	94,445	171,319	14,096	24,992	153,110	253,443	231,197	111,455	61,192	84,019	52,845	<b>1.386,870</b>
	BULGARIA	27,739	18,184	49,339	4,476	12,095	24,192	90,280	106,816	40,785	59,353	84,320	190,247	<b>707,826</b>
	ITALY	115,453	106,567	267,077	150,359	155,526	102,163	351,200	169,480	162,610	163,037	170,573	237,480	<b>2.151,525</b>
	N. MACEDONIA	120,530	50,250	123,900	20,503	21,604	110,797	183,747	181,076	49,499	50,207	96,127	107,391	<b>1.115,631</b>
	TURKEY	2,265	0,023	0,485	1,562	0,028	1,384	0,849	0,315	1,225	55,395	34,279	14,752	<b>112,562</b>
	<b>TOTAL</b>	<b>400,744</b>	<b>269,469</b>	<b>612,120</b>	<b>190,996</b>	<b>214,245</b>	<b>391,646</b>	<b>879,519</b>	<b>688,884</b>	<b>365,574</b>	<b>389,184</b>	<b>469,318</b>	<b>602,715</b>	<b>5.474,414</b>
<b>2023</b>	<b>INTERCONNECTION</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>TOTAL</b>
	ALBANIA	7,365	24,708	28,341	47,211	5,811	53,491	57,796	86,075	105,337	143,001	58,651		<b>617,787</b>
	BULGARIA	31,896	49,717	85,014	53,524	55,618	118,442	76,100	168,883	169,551	192,255	198,029		<b>1.199,029</b>
	ITALY	149,685	228,754	253,102	289,855	146,503	0,000	170,633	287,881	319,389	311,428	0,000		<b>2.157,230</b>
	N. MACEDONIA	12,855	25,776	23,835	20,826	8,332	52,974	16,053	36,504	94,986	61,761	58,433		<b>412,335</b>
	TURKEY	28,248	17,717	18,904	7,392	17,349	17,549	1,695	13,606	9,438	10,199	13,597		<b>155,694</b>
	<b>TOTAL</b>	<b>230,049</b>	<b>346,672</b>	<b>409,196</b>	<b>418,808</b>	<b>233,613</b>	<b>242,456</b>	<b>322,277</b>	<b>592,949</b>	<b>698,701</b>	<b>718,644</b>	<b>328,710</b>		<b>4.542,075</b>



At a glance



Energy Balance



Demand



Generation



Interconnections



Annex

&lt; &gt;

MONTHLY ENERGY BULLETIN | November 2023

| 1st VERSION

## Remarks

**1**

The data presented in this bulletin for the current month result from the initial settlement carried out by IPTO in W+1 timing (where W is the reference week), which is based on non-certified measurements. The data presented for previous months result from corrective settlements carried out by IPTO in W+6 timing (where W is the reference week), which are based on certified measurements.

**2**

The generation of the co-generation production unit of Alouminio included in the present bulletin has been estimated as 70% of its total generation, pending relevant calculations by RES Operator & Guarantees of Origin (DAPEEP S.A.).

# 1st Version

## Developed by

Market Management Department  
Branch of Market Development & Monitoring  
 [MarketMonitoring@admie.gr](mailto:MarketMonitoring@admie.gr)



 Dyrrachiou 89 & Kifissou, 104 43 Athens  
 +30 210-5192101  
 +30 210-5192324  
 [info@admie.gr](mailto:info@admie.gr)